ELSEVIER

Journal of Molecular Catalysis A: Chemical 113 (1996) 523–525

JOURNAL OF MOLECULAR CATALYSIS A: CHEMICAL

Author Index

Aissaoui, H., Ghirlanda, S., Gmür, C. and Woggon, W.-D.
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (113) 393

Al-Shihry, S.S. and Halawy, S.A.
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (113) 479

Amadelli, R., see Maldotti, A. (113) 147

Arciprete, F., see Porta, F. (113) 359

Bäckvall, J.-E., see Grennberg, H. (113) 355

Banfi, S., Manfredi, A., Montanari, F., Pozzi, G. and Quici, S.
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (113) 77

Banfi, S., Manfredi, A., Montanari, F., Pozzi, G., Quici, S. and Ursino, F.
Mn(III)-tetraarylporphyrins bearing covalently bonded crown-ethers: synthesis and catalytic activity in 1-dodecene epoxidation promoted by aqueous $HOCl/OCl^-$ (113) 369

Banfi, S., see Porta, F. (113) 359

Baron, G.V., see Parton, R.F. (113) 445

Bartoli, J.F., see Martinez-Lorente, M.A. (113) 343

Battioni, P., see Maldotti, A. (113) 147

Battioni, P., see Martinez-Lorente, M.A. (113) 343

Baum, G., see Berkessel, A. (113) 321

Baumgarten, E., Fiebes, A., Stumpe, A., Ronkel, F. and Schultze, J.W.
Synthesis and characterization of a new platinum supported catalyst based on poly-{acrylamide-co-[3-(acryloylamino)propyltrimethylammoniumchloride]} as carrier (113) 469

Bedioui, F., Devynck, J. and Bied-Charreton, C.
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (113) 3

Bergamini, P., see Maldotti, A. (113) 147

Bergstad, K., see Grennberg, H. (113) 355

Berkessel, A., Frauenkron, M., Schwenkreis, T., Steinmetz, A., Baum, G. and Fenske, D.
Pentacoordinated manganese(III) dihydrosalen complexes as biomimetic oxidation catalysts (113) 321

Bhyrappa, P., Young, J.K., Moore, J.S. and Suslick, K.S.
Shape selective epoxidation of alkenes by metalloporphyrin-dendrimers (113) 109

Bied-Charreton, C., see Bedioui, F. (113) 3

Böttcher, A., Grinstaff, M.W., Labinger, J.A. and Gray, H.B.
Aerobic oxidation of hydrocarbons catalyzed by electronegative iron salen complexes (113) 191

Boyd, S.A., see Chibwe, M. (113) 249

Burrows, C.J., see Cheng, C.-C. (113) 379

Campbell, L.A. and Kodadek, T.
Enantioselective catalysis of epoxidation by metalloporphyrins: application to enantioselective synthesis (113) 293

Capdevielle, P., see Maumy, M. (113) 159

Chauhan, S.M.S., Mohapatra, P.P., Kalra, B., Kohli, T.S. and Satapathy, S.
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2′,6′-dichloro-3′-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (113) 239

Che, C.-M., see Cheng, W.-C. (113) 311

Cheng, C.-C., Gulia, J., Rokita, S.E. and Burrows, C.J.
Dioxygen chemistry of nickel(II) dioxopentaazamacrocyclic complexes: Substituent and medium effects (113) 379

Cheng, W.-C., Fung, W.-H. and Che, C.-M.
tert-Butylhydroperoxide epoxidation of alkenes catalysed by ruthenium complex of 1,4,7-trimethyl-1,4,7-triazacyclononane (113) 311

Chibwe, M., Ukrainczyk, L., Boyd, S.A. and Pinnavaia, T.J.
Catalytic properties of biomimetic metallomacrocycles intercalated in layered double hydroxides and smectite clay: the importance of edge-site access (113) 249

Chung, M.-J., Moon, D.-J., Kim, H.-S., Park, K.-Y. and Ihm, S.-K.
Higher oxygenate formation from ethanol on Cu/ZnO catalysts: Synergism and reaction mechanism (113) 507

Claessens, R., see Parton, R.F. (113) 445

Colonna, F., see Porta, F. (113) 359

Conte, V., Di Furia, F., Moro, S. and Rabbolini, S.
A mechanistic investigation of bromoperoxidases mimicking systems. Evidence of a hypobromite-like vanadium intermediate from experimental data and ab initio calculations (113) 175

Coppa, F., see Porta, F. (113) 359

Crabtree, R.H., see Wessel, J. (113) 13

Devynck, J., see Bedioui, F. (113) 3

Di Furia, F., see Conte, V. (113) 175

Fenske, D., see Berkessel, A. (113) 321

Fiebes, A., see Baumgarten, E. (113) 469

Fontecave, M., see Ménage, S. (113) 61

Ford, W.T., see Hampton, K.W. (113) 167

Frauenkron, M., see Berkessel, A. (113) 321

Fung, W.-H., see Cheng, W.-C. (113) 311

Ganeshpure, P.A., Tembe, G.L. and Satish, S.
Oxidation of cyclohexane by tert-butyl hydroperoxide catalyzed by manganese(II) *N,N′*-ethylene bis(salicylideneaminato) and analogous complexes (113) L423

Ghirlanda, S., see Aissaoui, H. (113) 393

Gmür, C., see Aissaoui, H. (113) 393
Gosling, P.A. and Nolte, R.J.M.
A manganese(III) porphyrin/rhodium(III) bipyridine/formate catalyst system for the reductive activation of molecular oxygen (113) 257
Gray, H.B., see Böttcher, A. (113) 191
Grennberg, H., Bergstad, K. and Bäckvall, J.-E.
Aerobic palladium-heteropolyacid-catalyzed allylic acetoxylation of cyclohexene (113) 355
Grinstaff, M.W., see Böttcher, A. (113) 191
Gross, Z., Nimri, S. and Simkhovich, L.
Iron porphyrin catalyzed hydroxylation of ethylbenzene by ozone (113) 231
Gulia, J., see Cheng, C.-C. (113) 379
Halawy, S.A., see Al-Shihry, S.S. (113) 479
Hampton, K.W. and Ford, W.T.
Oxidation of 3,4-dimethoxybenzyl alcohol in water catalyzed by iron tetrasulfophthalocyanine (113) 167
Higuchi, T. and Hirobe, M.
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (113) 403
Hilal, H.S., Jondi, W., Khalaf, S., Keilani, A., Suleiman, M. and Schreiner, A.F.
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (113) 35
Hill, C.L., Zeng, H. and Zhang, X.
Biomimetic catalysis in a larger context. Correlation of structure and function with genesis (113) 185
Hirao, T., Moriuchi, T., Ishikawa, T., Nishimura, K., Mikami, S., Ohshiro, Y. and Ikeda, I.
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (113) 117
Hirobe, M., see Higuchi, T. (113) 403
Hulea, V. and Moreau, P.
The solvent effect in the sulfoxidation of thioethers by hydrogen peroxide using Ti-containing zeolites as catalysts (113) 499
Ichikawa, M., see Xiao, F.-S. (113) 427
Ihm, S.-K., see Chung, M.-J. (113) 507
Ikeda, I., see Hirao, T. (113) 117
Ishikawa, T., see Hirao, T. (113) 117
Jacobs, P.A., see Parton, R.F. (113) 283
Jacobs, P.A., see Parton, R.F. (113) 445
Janssen, K.B.M., see Parton, R.F. (113) 283
Jondi, W., see Hilal, H.S. (113) 35
Kalra, B., see Chauhan, S.M.S. (113) 239
Kamp, N.W.J. and Smith, J.R.L.
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (113) 131
Kano, K., see Takeuchi, M. (113) 51
Katsuki, T.
Mn-salen catalyst, competitor of enzymes, for asymmetric epoxidation (113) 87
Keilani, A., see Hilal, H.S. (113) 35
Khalaf, S., see Hilal, H.S. (113) 35
Kim, H.-S., see Chung, M.-J. (113) 507
Kleemiss, W., see Martinez-Lorente, M.A. (113) 343
Knops-Gerrits, P.-P., see Parton, R.F. (113) 283
Kodadek, T., see Campbell, L.A. (113) 293
Kodera, M., see Takeuchi, M. (113) 51
Kohli, T.S., see Chauhan, S.M.S. (113) 239
Krieger, T.A., see Yurieva, T.M. (113) 455
Labinger, J.A., see Böttcher, A. (113) 191
Lambeaux, C., see Ménage, S. (113) 61
Larsen, G. and Petkovic, L.M.
On the mechanism of *n*-butane disproportionation over platinum supported on tungstated zirconia: Isotopic labeling studies (113) 517
Maillard, P., see Vilain-Deshayes, S. (113) 201
Maillard, P., see Vilain-Deshayes, S. (113) 23
Makarova, O.V., see Yurieva, T.M. (113) 455
Maldotti, A., Molinari, A., Bergamini, P., Amadelli, R., Battioni, P. and Mansuy, D.
Photocatalytic oxidation of cyclohexane by $(nBu_4N)_4W_{10}O_{32}$/Fe(III)porphyrins integrated systems (113) 147
Manfredi, A., see Banfi, S. (113) 369
Manfredi, A., see Banfi, S. (113) 77
Mansuy, D., see Maldotti, A. (113) 147
Mansuy, D., see Martinez-Lorente, M.A. (113) 343
Martinez-Lorente, M.A., Battioni, P., Kleemiss, W., Bartoli, J.F. and Mansuy, D.
Manganese porphyrins covalently bound to silica and montmorillonite K10 as efficient catalysts for alkene and alkane oxidation by hydrogen peroxide (113) 343
Maumy, M. and Capdevielle, P.
Copper-catalyzed *ortho*-oxidation of phenols by dioxygen (tyrosinase mimics) do yields catechols as primary products (113) 159
Ménage, S., Vincent, J.-M., Lambeaux, C. and Fontecave, M.
Alkane oxidation catalyzed by μ-oxo bridged diferric complexes: an overall mechanism (113) 61
Meunier, B., see Shukla, R.S. (113) 45
Meunier, B., see Vilain-Deshayes, S. (113) 23
Mikami, S., see Hirao, T. (113) 117
Mohapatra, P.P., see Chauhan, S.M.S. (113) 239
Molinari, A., see Maldotti, A. (113) 147
Momenteau, M., see Vilain-Deshayes, S. (113) 201
Momenteau, M., see Vilain-Deshayes, S. (113) 23
Montanari, F., see Banfi, S. (113) 369
Montanari, F., see Banfi, S. (113) 77
Moon, D.-J., see Chung, M.-J. (113) 507
Moore, J.S., see Bhyrappa, P. (113) 109
Moreau, P., see Hulea, V. (113) 499
Moriuchi, T., see Hirao, T. (113) 117
Moro, S., see Conte, V. (113) 175
Neys, P.E., see Parton, R.F. (113) 445
Nimri, S., see Gross, Z. (113) 231
Nishimura, K., see Hirao, T. (113) 117
Nolte, R.J.M., see Gosling, P.A. (113) 257
Ohkubo, K., see Sagawa, T. (113) 269
Ohshiro, Y., see Hirao, T. (113) 117

Park, K.-Y., see Chung, M.-J. (113) 507
Parton, R.F., Peere, G.J., Neys, P.E., Jacobs, P.A., Claessens, R. and Baron, G.V.
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (113) 445
Parton, R.F., Vankelecom, I.F.J., Tas, D., Janssen, K.B.M., Knops-Gerrits, P.-P. and Jacobs, P.A.
Membrane occluded catalysts: a higher order mimic with improved performance (113) 283
Peere, G.J., see Parton, R.F. (113) 445
Pereira, M.M., see Rocha Gonsalves, A.M.A. (113) 209
Petkovic, L.M., see Larsen, G. (113) 517
Pinnavaia, T.J., see Chibwe, M. (113) 249
Plyasova, L.M., see Yurieva, T.M. (113) 455
Porta, F., Colonna, F., Arciprete, F., Banfi, S. and Coppa, F.
Catalytic oxidation reactions of aromatic diamines by transition metal complexes (113) 359
Pozzi, G., see Banfi, S. (113) 369
Pozzi, G., see Banfi, S. (113) 77
Quici, S., see Banfi, S. (113) 369
Quici, S., see Banfi, S. (113) 77
Rabbolini, S., see Conte, V. (113) 175
Robert, A., see Shukla, R.S. (113) 45
Robert, A., see Vilain-Deshayes, S. (113) 23
Rocha Gonsalves, A.M.A. and Pereira, M.M.
State of the art in the development of biomimetic oxidation catalysts (113) 209
Rokita, S.E., see Cheng, C.-C. (113) 379
Ronkel, F., see Baumgarten, E. (113) 469
Sagawa, T. and Ohkubo, K.
Tryptophan dioxygenase-like catalysis of achiral and chiral manganese(II) porphyrins for dioxygen-inserted indole-ring opening reactions (113) 269
Satapathy, S., see Chauhan, S.M.S. (113) 239
Satish, S., see Ganeshpure, P.A. (113) L423
Schreiner, A.F., see Hilal, H.S. (113) 35
Schultze, J.W., see Baumgarten, E. (113) 469
Schwenkreis, T., see Berkessel, A. (113) 321
Selvam, T., see Singh, A.P. (113) 489
Shukla, R.S., Robert, A. and Meunier, B.
Kinetic investigations of oxidative degradation of aromatic pollutant 2,4,6-trichlorophenol by an iron-porphyrin complex, a model of ligninase (113) 45
Simkhovich, L., see Gross, Z. (113) 231
Singh, A.P. and Selvam, T.
Liquid phase oxidation reactions over chromium silicalite-1 (CrS-1) molecular sieves (113) 489
Smith, J.R.L., see Kamp, N.W.J. (113) 131
Steinmetz, A., see Berkessel, A. (113) 321
Stumpe, A., see Baumgarten, E. (113) 469
Suleiman, M., see Hilal, H.S. (113) 35
Suslick, K.S., see Bhyrappa, P. (113) 109
Takeuchi, M., Kodera, M., Kano, K. and Yoshida, Z.-i.
Mechanisms for (porphyrinato)iron(III)-catalyzed oxygenation of styrenes by O_2 in presence of BH_4^- (113) 51
Tas, D., see Parton, R.F. (113) 283
Tembe, G.L., see Ganeshpure, P.A. (113) L423
Tetard, D. and Verlhac, J.-B.
Alkane hydroxylation reactions catalysed by binuclear manganese and iron complexes (113) 223
Ukrainczyk, L., see Chibwe, M. (113) 249
Ursino, F., see Banfi, S. (113) 369
Vankelecom, I.F.J., see Parton, R.F. (113) 283
Verlhac, J.-B., see Tetard, D. (113) 223
Vilain-Deshayes, S., Maillard, P. and Momenteau, M.
Enantiomeric epoxidation of 4-chlorostyrene with H_2O_2 catalysed by robust chloromanganese(III)-5,10,15,20-tetrakis-[2-chloro-6-(2,3,4,6-tetraacetyl-*O*-β-D-glucosyl)phenyl]porphyrins (113) 201
Vilain-Deshayes, S., Robert, A., Maillard, P., Meunier, B. and Momenteau, M.
Enantioselective epoxidation of olefins by single-oxygen atom donors catalyzed by manganese-glycoconjugated porphyrins (113) 23
Vincent, J.-M., see Ménage, S. (113) 61
Wessel, J. and Crabtree, R.H.
Nonradical tetrabutylammonium monopersulfate oxidation of hydrocarbons catalyzed by $[Mn_3O_4bipy_4(H_2O)_2](ClO_4)_4$ (113) 13
Woggon, W.-D., see Aissaoui, H. (113) 393
Xiao, F.-S. and Ichikawa, M.
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (113) 427
Yoshida, Z.-i., see Takeuchi, M. (113) 51
Young, J.K., see Bhyrappa, P. (113) 109
Yurieva, T.M., Plyasova, L.M., Makarova, O.V. and Krieger, T.A.
Mechanisms for hydrogenation of acetone to isopropanol and of carbon oxides to methanol over copper-containing oxide catalysts (113) 455
Zeng, H., see Hill, C.L. (113) 185
Zhang, X., see Hill, C.L. (113) 185

ELSEVIER

Journal of Molecular Catalysis A: Chemical 113 (1996) 527–534

JOURNAL OF MOLECULAR CATALYSIS A: CHEMICAL

Subject Index

Acidity
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Adamantane
Oxidation of cyclohexane by tert-butyl hydroperoxide catalyzed by manganese(II) *N,N'*-ethylene bis(salicylideneaminato) and analogous complexes (Ganeshpure, P.A. (113) L423)
Aerobic allylic acetoxylation
Aerobic palladium-heteropolyacid-catalyzed allylic acetoxylation of cyclohexene (Grennberg, H. (113) 355)
Alkane hydroxylation
Alkane hydroxylation reactions catalysed by binuclear manganese and iron complexes (Tetard, D. (113) 223)
Alkane oxidation
Manganese porphyrins covalently bound to silica and montmorillonite K10 as efficient catalysts for alkene and alkane oxidation by hydrogen peroxide (Martinez-Lorente, M.A. (113) 343)
Alkanes
Nonradical tetrabutylammonium monopersulfate oxidation of hydrocarbons catalyzed by $[Mn_3O_4bipy_4(H_2O)_2](ClO_4)_4$ (Wessel, J. (113) 13)
Liquid phase oxidation reactions over chromium silicalite-1 (CrS-1) molecular sieves (Singh, A.P. (113) 489)
Alkene epoxidation
tert-Butylhydroperoxide epoxidation of alkenes catalysed by ruthenium complex of 1,4,7-trimethyl-1,4,7-triazacyclononane (Cheng, W.-C. (113) 311)
Alkene oxidation
Manganese porphyrins covalently bound to silica and montmorillonite K10 as efficient catalysts for alkene and alkane oxidation by hydrogen peroxide (Martinez-Lorente, M.A. (113) 343)
Alkenes
Enantiomeric epoxidation of 4-chlorostyrene with H_2O_2 catalysed by robust chloromanganese(III)-5,10,15,20-tetrakis-[2-chloro-6-(2,3,4,6-tetraacetyl-*O*-β-D-glucosyl)phenyl]porphyrins (Vilain-Deshayes, S. (113) 201)
Alkylation
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (Xiao, F.-S. (113) 427)
AOT reverse micelles
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2′,6′-dichloro-3′-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
Aromatic diamines
Catalytic oxidation reactions of aromatic diamines by transition metal complexes (Porta, F. (113) 359)
Aromatics and olefins bromination
A mechanistic investigation of bromoperoxidases mimicking systems. Evidence of a hypobromite-like vanadium intermediate from experimental data and ab initio calculations (Conte, V. (113) 175)
Asymmetric epoxidation
Mn-salen catalyst, competitor of enzymes, for asymmetric epoxidation (Katsuki, T. (113) 87)
Enantiomeric epoxidation of 4-chlorostyrene with H_2O_2 catalysed by robust chloromanganese(III)-5,10,15,20-tetrakis-[2-chloro-6-(2,3,4,6-tetraacetyl-*O*-β-D-glucosyl)phenyl]porphyrins (Vilain-Deshayes, S. (113) 201)
Pentacoordinated manganese(III) dihydrosalen complexes as biomimetic oxidation catalysts (Berkessel, A. (113) 321)
Asymmetric oxidation catalysts
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
Autoxidation
Dioxygen chemistry of nickel(II) dioxopentaazamacrocyclic complexes: Substituent and medium effects (Cheng, C.-C. (113) 379)
Axial ligand
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Basicity
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Biomimetic oxidation
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
Photocatalytic oxidation of cyclohexane by $(nBu_4N)_4W_{10}O_{32}$/Fe(III)porphyrins integrated systems (Maldotti, A. (113) 147)
Biomimetics
Biomimetic catalysis in a larger context. Correlation of structure and function with genesis (Hill, C.L. (113) 185)
Borohydride ion
Mechanisms for (porphyrinato)iron(III)-catalyzed oxygenation of styrenes by O_2 in presence of BH_4^- (Takeuchi, M. (113) 51)
Bromoperoxidase
A mechanistic investigation of bromoperoxidases mimicking systems. Evidence of a hypobromite-like vanadium intermediate from experimental data and ab initio calculations (Conte, V. (113) 175)
n-Butane labeling

On the mechanism of *n*-butane disproportionation over platinum supported on tungstated zirconia: Isotopic labeling studies (Larsen, G. (113) 517)
tert-Butyl hydroperoxide
Oxidation of cyclohexane by tert-butyl hydroperoxide catalyzed by manganese(II) *N,N'*-ethylene bis(salicylideneaminato) and analogous complexes (Ganeshpure, P.A. (113) L423)
Catalysis
Biomimetic catalysis in a larger context. Correlation of structure and function with genesis (Hill, C.L. (113) 185)
Enantioselective catalysis of epoxidation by metalloporphyrins: application to enantioselective synthesis (Campbell, L.A. (113) 293)
Catalyst
tert-Butylhydroperoxide epoxidation of alkenes catalysed by ruthenium complex of 1,4,7-trimethyl-1,4,7-triazacyclononane (Cheng, W.-C. (113) 311)
Catalytic oxidation
Catalytic oxidation reactions of aromatic diamines by transition metal complexes (Porta, F. (113) 359)
Catechols
Copper-catalyzed *ortho*-oxidation of phenols by dioxygen (tyrosinase mimics) do yields catechols as primary products (Maumy, M. (113) 159)
Chiral complexes
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
Chiral induction
Enantiomeric epoxidation of 4-chlorostyrene with H_2O_2 catalysed by robust chloromanganese(III)-5,10,15,20-tetrakis-[2-chloro-6-(2,3,4,6-tetraacetyl-*O*-β-D-glucosyl)phenyl]porphyrins (Vilain-Deshayes, S. (113) 201)
Chiral porphyrins
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Chromium silicalite-1
Liquid phase oxidation reactions over chromium silicalite-1 (CrS-1) molecular sieves (Singh, A.P. (113) 489)
Cluster
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (Xiao, F.-S. (113) 427)
CO isotopic exchange
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (Xiao, F.-S. (113) 427)
Copper
Copper-catalyzed *ortho*-oxidation of phenols by dioxygen (tyrosinase mimics) do yields catechols as primary products (Maumy, M. (113) 159)
Copper-containing oxide catalysts
Mechanisms for hydrogenation of acetone to isopropanol and of carbon oxides to methanol over copper-containing oxide catalysts (Yurieva, T.M. (113) 455)
Crown ethers
Mn(III)-tetraarylporphyrins bearing covalently bonded crown-ethers: synthesis and catalytic activity in 1-dodecene epoxidation promoted by aqueous $HOCl/OCl^-$ (Banfi, S. (113) 369)
Cu/ZnO catalyst
Higher oxygenate formation from ethanol on Cu/ZnO catalysts: Synergism and reaction mechanism (Chung, M.-J. (113) 507)
Cyclohexane
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)
Oxidation of cyclohexane by tert-butyl hydroperoxide catalyzed by manganese(II) *N,N'*-ethylene bis(salicylideneaminato) and analogous complexes (Ganeshpure, P.A. (113) L423)
Cyclohexanol
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)
Cyclohexene
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
[2.2]-*p*-Cyclophane-4-carbaldehyde resolution
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
Cytochrome P450
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Decarboxylation
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2',6'-dichloro-3'-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Decomposition
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Dehydrogenations
Biomimetic catalysis in a larger context. Correlation of structure and function with genesis (Hill, C.L. (113) 185)
Dendrimer
Shape selective epoxidation of alkenes by metalloporphyrin-dendrimers (Bhyrappa, P. (113) 109)
Dihydrosalen complexes
Pentacoordinated manganese(III) dihydrosalen complexes as biomimetic oxidation catalysts (Berkessel, A. (113) 321)
3,4-dimethoxybenzyl alcohol
Oxidation of 3,4-dimethoxybenzyl alcohol in water catalyzed by iron tetrasulfophthalocyanine (Hampton, K.W. (113) 167)
Dioxygen
Dioxygen chemistry of nickel(II) dioxopentaazamacrocyclic complexes: Substituent and medium effects (Cheng, C.-C. (113) 379)
Disproportionation mechanism
On the mechanism of *n*-butane disproportionation over platinum supported on tungstated zirconia: Isotopic labeling studies (Larsen, G. (113) 517)

DNA
Dioxygen chemistry of nickel(II) dioxopentaazamacrocyclic complexes: Substituent and medium effects (Cheng, C.-C. (113) 379)
1-Dodecene epoxidation
Mn(III)-tetraarylporphyrins bearing covalently bonded crown-ethers: synthesis and catalytic activity in 1-dodecene epoxidation promoted by aqueous $HOCl/OCl^-$ (Banfi, S. (113) 369)
Electrocatalysis
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
Electropolymerized films
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
Enantioselective
Enantioselective catalysis of epoxidation by metalloporphyrins: application to enantioselective synthesis (Campbell, L.A. (113) 293)
Enantioselectivity
Enantioselective epoxidation of olefins by single-oxygen atom donors catalyzed by manganese-glycoconjugated porphyrins (Vilain-Deshayes, S. (113) 23)
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
Enzyme Models
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
Epoxidation
Enantioselective epoxidation of olefins by single-oxygen atom donors catalyzed by manganese-glycoconjugated porphyrins (Vilain-Deshayes, S. (113) 23)
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
Shape selective epoxidation of alkenes by metalloporphyrin-dendrimers (Bhyrappa, P. (113) 109)
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
Aerobic oxidation of hydrocarbons catalyzed by electronegative iron salen complexes (Böttcher, A. (113) 191)
Enantiomeric epoxidation of 4-chlorostyrene with H_2O_2 catalysed by robust chloromanganese(III)-5,10,15,20-tetrakis-[2-chloro-6-(2,3,4,6-tetraacetyl-*O*-β-D-glucosyl)phenyl]porphyrins (Vilain-Deshayes, S. (113) 201)
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Enantioselective catalysis of epoxidation by metalloporphyrins: application to enantioselective synthesis (Campbell, L.A. (113) 293)
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Ethylsulfide
The solvent effect in the sulfoxidation of thioethers by hydrogen peroxide using Ti-containing zeolites as catalysts (Hulea, V. (113) 499)
Ethylsulfoxide
The solvent effect in the sulfoxidation of thioethers by hydrogen peroxide using Ti-containing zeolites as catalysts (Hulea, V. (113) 499)
Extraction
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (Xiao, F.-S. (113) 427)
Fe_2O_3
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
FePc
Membrane occluded catalysts: a higher order mimic with improved performance (Parton, R.F. (113) 283)
Fe-tetraarylporphyrins
Catalytic oxidation reactions of aromatic diamines by transition metal complexes (Porta, F. (113) 359)
Functionalized Mn(III)-porphyrins
Mn(III)-tetraarylporphyrins bearing covalently bonded crown-ethers: synthesis and catalytic activity in 1-dodecene epoxidation promoted by aqueous $HOCl/OCl^-$ (Banfi, S. (113) 369)
Glycosylated metalloporphyrins
Enantioselective epoxidation of olefins by single-oxygen atom donors catalyzed by manganese-glycoconjugated porphyrins (Vilain-Deshayes, S. (113) 23)
Glycosylated porphyrins
Enantiomeric epoxidation of 4-chlorostyrene with H_2O_2 catalysed by robust chloromanganese(III)-5,10,15,20-tetrakis-[2-chloro-6-(2,3,4,6-tetraacetyl-*O*-β-D-glucosyl)phenyl]porphyrins (Vilain-Deshayes, S. (113) 201)
Hammett equations
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
Heme-thiolate proteins
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
N-Heterocyclic ligand
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
Heteropolyacid
Aerobic palladium-heteropolyacid-catalyzed allylic acetoxylation of cyclohexene (Grennberg, H. (113) 355)
Higher oxygenate formation from ethanol
Higher oxygenate formation from ethanol on Cu/ZnO catalysts: Synergism and reaction mechanism (Chung, M.-J. (113) 507)
Hydroformylation
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (Xiao, F.-S. (113) 427)
Hydrogenation of acetone to isopropanol
Mechanisms for hydrogenation of acetone to isopropanol and of carbon oxides to methanol over copper-containing oxide catalysts (Yurieva, T.M. (113) 455)
Hydrogen peroxide
Oxidation of 3,4-dimethoxybenzyl alcohol in water catalyzed by iron tetrasulfophthalocyanine (Hampton, K.W. (113) 167)

State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Manganese porphyrins covalently bound to silica and montmorillonite K10 as efficient catalysts for alkene and alkane oxidation by hydrogen peroxide (Martinez-Lorente, M.A. (113) 343)
The solvent effect in the sulfoxidation of thioethers by hydrogen peroxide using Ti-containing zeolites as catalysts (Hulea, V. (113) 499)
Hydroperoxyde
Alkane hydroxylation reactions catalysed by binuclear manganese and iron complexes (Tetard, D. (113) 223)
Hydrophilicity
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)
Hydroxylation
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Iron porphyrin catalyzed hydroxylation of ethylbenzene by ozone (Gross, Z. (113) 231)
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Hypobromite-like vanadium complex
A mechanistic investigation of bromoperoxidases mimicking systems. Evidence of a hypobromite-like vanadium intermediate from experimental data and ab initio calculations (Conte, V. (113) 175)
Hypochlorite
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Indole-3-acetic acid
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2′,6′-dichloro-3′-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
Intercalated metallomacrocycles
Catalytic properties of biomimetic metallomacrocycles intercalated in layered double hydroxides and smectite clay: the importance of edge-site access (Chibwe, M. (113) 249)
IR
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Iron
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
Aerobic oxidation of hydrocarbons catalyzed by electronegative iron salen complexes (Böttcher, A. (113) 191)
Iron porphyrin catalyzed hydroxylation of ethylbenzene by ozone (Gross, Z. (113) 231)
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2′,6′-dichloro-3′-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)
Iron complex
Alkane hydroxylation reactions catalysed by binuclear manganese and iron complexes (Tetard, D. (113) 223)
Iron(III)porphyrins
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
Iron-porphyrins
Photocatalytic oxidation of cyclohexane by $(nBu_4N)_4W_{10}O_{32}$/Fe(III)porphyrins integrated systems (Maldotti, A. (113) 147)
Iron tetrasulfophthalocyanine
Oxidation of 3,4-dimethoxybenzyl alcohol in water catalyzed by iron tetrasulfophthalocyanine (Hampton, K.W. (113) 167)
Isotopic effect
On the mechanism of *n*-butane disproportionation over platinum supported on tungstated zirconia: Isotopic labeling studies (Larsen, G. (113) 517)
Jacobsen catalyst
Membrane occluded catalysts: a higher order mimic with improved performance (Parton, R.F. (113) 283)
Kemp's acid
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
Ketenylidene
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (Xiao, F.-S. (113) 427)
Kinetics
Kinetic investigations of oxidative degradation of aromatic pollutant 2,4,6-trichlorophenol by an iron-porphyrin complex, a model of ligninase (Shukla, R.S. (113) 45)
Layered double hydroxides
Catalytic properties of biomimetic metallomacrocycles intercalated in layered double hydroxides and smectite clay: the importance of edge-site access (Chibwe, M. (113) 249)
Ligand
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Macrocycle
Dioxygen chemistry of nickel(II) dioxopentaazamacrocyclic complexes: Substituent and medium effects (Cheng, C.-C. (113) 379)
Manganese
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
Nonradical tetrabutylammonium monopersulfate oxidation of hydrocarbons catalyzed by $[Mn_3O_4bipy_4(H_2O)_2](ClO_4)_4$ (Wessel, J. (113) 13)
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)

Manganese catalysts
Pentacoordinated manganese(III) dihydrosalen complexes as biomimetic oxidation catalysts (Berkessel, A. (113) 321)
Manganese complex
Alkane hydroxylation reactions catalysed by binuclear manganese and iron complexes (Tetard, D. (113) 223)
Manganese(II) complexes
Oxidation of cyclohexane by tert-butyl hydroperoxide catalyzed by manganese(II) *N,N'*-ethylene bis(salicylideneaminato) and analogous complexes (Ganeshpure, P.A. (113) L423)
Manganese(III) porphyrin
A manganese(III) porphyrin/rhodium(III) bipyridine/formate catalyst system for the reductive activation of molecular oxygen (Gosling, P.A. (113) 257)
Manganese porphyrin
Manganese porphyrins covalently bound to silica and montmorillonite K10 as efficient catalysts for alkene and alkane oxidation by hydrogen peroxide (Martinez-Lorente, M.A. (113) 343)
Metalloporphyrin
Shape selective epoxidation of alkenes by metalloporphyrin-dendrimers (Bhyrappa, P. (113) 109)
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Metalloporphyrin catalyzed reaction
Kinetic investigations of oxidative degradation of aromatic pollutant 2,4,6-trichlorophenol by an iron-porphyrin complex, a model of ligninase (Shukla, R.S. (113) 45)
Metalloporphyrins
Enantioselective epoxidation of olefins by single-oxygen atom donors catalyzed by manganese-glycoconjugated porphyrins (Vilain-Deshayes, S. (113) 23)
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
Tryptophan dioxygenase-like catalysis of achiral and chiral manganese(II) porphyrins for dioxygen-inserted indole-ring opening reactions (Sagawa, T. (113) 269)
Enantioselective catalysis of epoxidation by metalloporphyrins: application to enantioselective synthesis (Campbell, L.A. (113) 293)
Methanol synthesis from carbon oxides
Mechanisms for hydrogenation of acetone to isopropanol and of carbon oxides to methanol over copper-containing oxide catalysts (Yurieva, T.M. (113) 455)
Micelles
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2',6'-dichloro-3'-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
Mn
Catalytic oxidation reactions of aromatic diamines by transition metal complexes (Porta, F. (113) 359)
$[Mn(bpy)_2]^{2+}$
Membrane occluded catalysts: a higher order mimic with improved performance (Parton, R.F. (113) 283)
Mn-salen catalyst
Mn-salen catalyst, competitor of enzymes, for asymmetric epoxidation (Katsuki, T. (113) 87)
Modified electrodes
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
Molecular oxygen
A manganese(III) porphyrin/rhodium(III) bipyridine/formate catalyst system for the reductive activation of molecular oxygen (Gosling, P.A. (113) 257)
Monopersulphate
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
Montmorillonite
Manganese porphyrins covalently bound to silica and montmorillonite K10 as efficient catalysts for alkene and alkane oxidation by hydrogen peroxide (Martinez-Lorente, M.A. (113) 343)
MoO_3
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Mo(VI) peroxo complex
Catalytic oxidation reactions of aromatic diamines by transition metal complexes (Porta, F. (113) 359)
Multidentate ligand
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
NaOCl epoxidation
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
NaOCl promoted epoxidation
Mn(III)-tetraarylporphyrins bearing covalently bonded crown-ethers: synthesis and catalytic activity in 1-dodecene epoxidation promoted by aqueous $HOCl/OCl^-$ (Banfi, S. (113) 369)
Nickel
Dioxygen chemistry of nickel(II) dioxopentaazamacrocyclic complexes: Substituent and medium effects (Cheng, C.-C. (113) 379)
Olefins
Aerobic oxidation of hydrocarbons catalyzed by electronegative iron salen complexes (Böttcher, A. (113) 191)
O–O bond
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Oxidation
Nonradical tetrabutylammonium monopersulfate oxidation of hydrocarbons catalyzed by $[Mn_3O_4bipy_4(H_2O)_2](ClO_4)_4$ (Wessel, J. (113) 13)
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
Oxidation of 3,4-dimethoxybenzyl alcohol in water catalyzed by iron tetrasulfophthalocyanine (Hampton, K.W. (113) 167)

Aerobic oxidation of hydrocarbons catalyzed by electronegative iron salen complexes (Böttcher, A. (113) 191)
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2′,6′-dichloro-3′-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
tert-Butylhydroperoxide epoxidation of alkenes catalysed by ruthenium complex of 1,4,7-trimethyl-1,4,7-triazacyclononane (Cheng, W.-C. (113) 311)
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)
The solvent effect in the sulfoxidation of thioethers by hydrogen peroxide using Ti-containing zeolites as catalysts (Hulea, V. (113) 499)
Oxidation of cyclohexane by tert-butyl hydroperoxide catalyzed by manganese(II) *N,N′*-ethylene bis(salicylideneaminato) and analogous complexes (Ganeshpure, P.A. (113) L423)
Oxidation catalysis
Shape selective epoxidation of alkenes by metalloporphyrin-dendrimers (Bhyrappa, P. (113) 109)
Oxidation catalyst
Photocatalytic oxidation of cyclohexane by $(nBu_4N)_4W_{10}O_{32}$/Fe(III)porphyrins integrated systems (Maldotti, A. (113) 147)
Oxidation reactions
Liquid phase oxidation reactions over chromium silicalite-1 (CrS-1) molecular sieves (Singh, A.P. (113) 489)
Oxide
Oxide-supported triruthenium ketenylidene clusters and their catalytic properties (Xiao, F.-S. (113) 427)
Oxo complexes
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
Oxo transfer reaction
Mn-salen catalyst, competitor of enzymes, for asymmetric epoxidation (Katsuki, T. (113) 87)
Oxygen
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
Oxygen activation
Photocatalytic oxidation of cyclohexane by $(nBu_4N)_4W_{10}O_{32}$/Fe(III)porphyrins integrated systems (Maldotti, A. (113) 147)
Oxygenation
Mechanisms for (porphyrinato)iron(III)-catalyzed oxygenation of styrenes by O_2 in presence of BH_4^- (Takeuchi, M. (113) 51)
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
Ozone
Iron porphyrin catalyzed hydroxylation of ethylbenzene by ozone (Gross, Z. (113) 231)
Palladium
Aerobic palladium-heteropolyacid-catalyzed allylic acetoxylation of cyclohexene (Grennberg, H. (113) 355)
PDMS
Membrane occluded catalysts: a higher order mimic with improved performance (Parton, R.F. (113) 283)
Peracid
Alkane hydroxylation reactions catalysed by binuclear manganese and iron complexes (Tetard, D. (113) 223)
Peroxidase
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
Peroxidase models
Pentacoordinated manganese(III) dihydrosalen complexes as biomimetic oxidation catalysts (Berkessel, A. (113) 321)
Peroxide
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)
Peroxovanadium complex
A mechanistic investigation of bromoperoxidases mimicking systems. Evidence of a hypobromite-like vanadium intermediate from experimental data and ab initio calculations (Conte, V. (113) 175)
Phenol
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
Phenol oxidation
Catalytic properties of biomimetic metallomacrocycles intercalated in layered double hydroxides and smectite clay: the importance of edge-site access (Chibwe, M. (113) 249)
Phenols
Copper-catalyzed *ortho*-oxidation of phenols by dioxygen (tyrosinase mimics) do yields catechols as primary products (Maumy, M. (113) 159)
Photocatalysis
Photocatalytic oxidation of cyclohexane by $(nBu_4N)_4W_{10}O_{32}$/Fe(III)porphyrins integrated systems (Maldotti, A. (113) 147)
Phthalocyanine
Catalytic properties of biomimetic metallomacrocycles intercalated in layered double hydroxides and smectite clay: the importance of edge-site access (Chibwe, M. (113) 249)
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)
Platinum catalysts
Synthesis and characterization of a new platinum supported catalyst based on poly-{acrylamide-co-[3-(acryloylamino)propyltrimethylammoniumchloride]} as carrier (Baumgarten, E. (113) 469)
Podand
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
Polymer anchored catalysts
Synthesis and characterization of a new platinum supported catalyst based on poly-{acrylamide-co-[3-(acryloylamino)propyltri-

methylammoniumchloride]} as carrier (Baumgarten, E. (113) 469)
Polymer films
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
Polyoxometalate
Biomimetic catalysis in a larger context. Correlation of structure and function with genesis (Hill, C.L. (113) 185)
Polyoxotungstate
Photocatalytic oxidation of cyclohexane by $(nBu_4N)_4W_{10}O_{32}$/Fe(III)porphyrins integrated systems (Maldotti, A. (113) 147)
Polypeptide
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Poly(siloxane)-supported catalysts
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
Porphyrin
Synthesis of chiral Mn(III)-meso-tetrakis-[2.2]-*p*-cyclophanylporphyrin: a new catalyst for enantioselective epoxidation (Banfi, S. (113) 77)
Shape selective epoxidation of alkenes by metalloporphyrin-dendrimers (Bhyrappa, P. (113) 109)
A comparative mechanistic study of the oxidation of phenols in aqueous solution by oxomanganese(IV) and oxoiron(IV) 5,10,15,20-tetrakis(2-*N*-methylpyridyl)porphyrin (Kamp, N.W.J. (113) 131)
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Catalytic properties of biomimetic metallomacrocycles intercalated in layered double hydroxides and smectite clay: the importance of edge-site access (Chibwe, M. (113) 249)
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Porphyrin complexes
Mechanisms for (porphyrinato)iron(III)-catalyzed oxygenation of styrenes by O_2 in presence of BH_4^- (Takeuchi, M. (113) 51)
Porphyrins
Electropolymerized manganese porphyrin films as catalytic electrode materials for biomimetic oxidations with molecular oxygen (Bedioui, F. (113) 3)
Enantioselective epoxidation of olefins by single-oxygen atom donors catalyzed by manganese-glycoconjugated porphyrins (Vilain-Deshayes, S. (113) 23)
Enantiomeric epoxidation of 4-chlorostyrene with H_2O_2 catalysed by robust chloromanganese(III)-5,10,15,20-tetrakis-[2-chloro-6-(2,3,4,6-tetraacetyl-*O*-β-D-glucosyl)phenyl]porphyrins (Vilain-Deshayes, S. (113) 201)
Iron porphyrin catalyzed hydroxylation of ethylbenzene by ozone (Gross, Z. (113) 231)
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2′,6′-dichloro-3′-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
Potassium monopersulfate
Oxidation of 3,4-dimethoxybenzyl alcohol in water catalyzed by iron tetrasulfophthalocyanine (Hampton, K.W. (113) 167)
2-propanol
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Pyridine *N*-oxide
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Quinone
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Reductive activation
A manganese(III) porphyrin/rhodium(III) bipyridine/formate catalyst system for the reductive activation of molecular oxygen (Gosling, P.A. (113) 257)
Rhodium(III) bipyridine
A manganese(III) porphyrin/rhodium(III) bipyridine/formate catalyst system for the reductive activation of molecular oxygen (Gosling, P.A. (113) 257)
Ring-opening dioxygenolysis
Tryptophan dioxygenase-like catalysis of achiral and chiral manganese(II) porphyrins for dioxygen-inserted indole-ring opening reactions (Sagawa, T. (113) 269)
Ru-binap
Membrane occluded catalysts: a higher order mimic with improved performance (Parton, R.F. (113) 283)
Ruthenium
tert-Butylhydroperoxide epoxidation of alkenes catalysed by ruthenium complex of 1,4,7-trimethyl-1,4,7-triazacyclononane (Cheng, W.-C. (113) 311)
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
S_{BET}
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Salen complexes
Aerobic oxidation of hydrocarbons catalyzed by electronegative iron salen complexes (Böttcher, A. (113) 191)
Self-Assembly
Biomimetic catalysis in a larger context. Correlation of structure and function with genesis (Hill, C.L. (113) 185)

Silica
Manganese porphyrins covalently bound to silica and montmorillonite K10 as efficient catalysts for alkene and alkane oxidation by hydrogen peroxide (Martinez-Lorente, M.A. (113) 343)
Siloxane
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
Simple olefin
Mn-salen catalyst, competitor of enzymes, for asymmetric epoxidation (Katsuki, T. (113) 87)
Smectite clay
Catalytic properties of biomimetic metallomacrocycles intercalated in layered double hydroxides and smectite clay: the importance of edge-site access (Chibwe, M. (113) 249)
Styrenes
Mechanisms for (porphyrinato)iron(III)-catalyzed oxygenation of styrenes by O_2 in presence of BH_4^- (Takeuchi, M. (113) 51)
Substrate recognition
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
Sulfonatophenyl-substituted porphyrin
Biomimetic oxidation of indole-3-acetic acid and related substrates with hydrogen peroxide catalysed by 5,10,15,20-tetrakis(2′,6′-dichloro-3′-sulfonatophenyl)porphyrinatoiron(III) hydrate in aqueous solution and AOT reverse micelles (Chauhan, S.M.S. (113) 239)
Supported catalysts
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
Synthesis
State of the art in the development of biomimetic oxidation catalysts (Rocha Gonsalves, A.M.A. (113) 209)
Thiolate
Four recent studies in cytochrome P450 modelings: A stable iron porphyrin coordinated by a thiolate ligand; a robust ruthenium porphyrin–pyridine *N*-oxide derivatives system; polypeptide-bound iron porphyrin; application to drug metabolism studies (Higuchi, T. (113) 403)
Thiolate ligand
The synthesis of a new active-site analogue of cytochrome P450 carrying substrate recognition sites and athiolate ligand (Aissaoui, H. (113) 393)
Tin
The catalytic activity of poly(siloxane)-supported metalloporphyrins in olefin oxidation reactions: the effect of the support on the catalytic activity and selectivity (Hilal, H.S. (113) 35)
Titanosilicalites
The solvent effect in the sulfoxidation of thioethers by hydrogen peroxide using Ti-containing zeolites as catalysts (Hulea, V. (113) 499)
Toluene
Liquid phase oxidation reactions over chromium silicalite-1 (CrS-1) molecular sieves (Singh, A.P. (113) 489)
TPR
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Transition metal complex
A novel catalytic system for oxygenation with molecular oxygen induced by transition metal complexes with a multidentate *N*-heterocyclic podand ligand (Hirao, T. (113) 117)
2,4,6-trichlorophenol
Oxidation of 3,4-dimethoxybenzyl alcohol in water catalyzed by iron tetrasulfophthalocyanine (Hampton, K.W. (113) 167)
Trichlorophenol oxidation
Kinetic investigations of oxidative degradation of aromatic pollutant 2,4,6-trichlorophenol by an iron-porphyrin complex, a model of ligninase (Shukla, R.S. (113) 45)
Tryptophan dioxygenase model
Tryptophan dioxygenase-like catalysis of achiral and chiral manganese(II) porphyrins for dioxygen-inserted indole-ring opening reactions (Sagawa, T. (113) 269)
Tungstated zirconia
On the mechanism of *n*-butane disproportionation over platinum supported on tungstated zirconia: Isotopic labeling studies (Larsen, G. (113) 517)
Tyrosinase mimics
Copper-catalyzed *ortho*-oxidation of phenols by dioxygen (tyrosinase mimics) do yields catechols as primary products (Maumy, M. (113) 159)
XPS
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
X-ray photoelectron spectroscopy
Synthesis and characterization of a new platinum supported catalyst based on poly-{acrylamide-co-[3-(acryloylamino)propyltrimethylammoniumchloride]} as carrier (Baumgarten, E. (113) 469)
XRD
Unsupported MoO_3–Fe_2O_3 catalysts: characterization and activity during 2-propanol decomposition (Al-Shihry, S.S. (113) 479)
Zeolite Y
Membrane occluded catalysts: a higher order mimic with improved performance (Parton, R.F. (113) 283)
Cyclohexane oxidation with tertiary-butylhydroperoxide catalyzed by iron–phthalocyanines homogeneously and occluded in Y zeolite (Parton, R.F. (113) 445)